

Office Solutions in Steel







The name Bisley is famous for quality office storage products. Over the years the company has heavily invested in its two manufacturing plants. As a result, Bisley now leads the UK market in its sector. By employing their undisputed skills in design and engineering, Bisley has produced a office furniture technically advanced range of products designed to meet the needs of the most modern office environment. Office solutions in steel.








Contents

Filing Cabinets	6	
Card Filing Cabinets	8	
Side Filing Cabinets	9	
Side Opening Tambours	10	
Stationery Cupboards	12	
Two-Door Cupboards	13	
Vertical Tambours	14	
Cupboard/Tambour Internals	15	
Multidrawer Cabinets	16	
CD and Video Storage Cabinets	18	
F-Series Desk Cabinets	19	
Desk Pedestals	20	
Lockers	22	
Accessories	24	
Plan Files	25	
Specifications	26	

Legend for Graphic Symbols





(a) (b) (c) (c)







- Backs and sides are pierced to enable units to be bolted together
- Smooth action, heavy duty roller ball bearing slides with 100% extension
- Filing cabinets can be fitted with compressor plates
- Fully welded carcase without bolts or rivets for greater strength and cleaner lines







Bisley flush-fronted Filing Cabinets are the undisputed market leaders in the UK. Bisley filing cabinets are built to last and feature a fully welded construction The market leaders and double skin drawer fronts. The range includes in flush-fronted filing cabinets Double filers

> The range of Bisley flush-fronted Filing Cabinets includes large capacity double filing cabinets illustrated below (DF3/DF4). These are available with three or four drawers. Both versions will accommodate two rows of A4 files in each drawer.



BS5E BS4E BS3E BS2E



DF4



Besides card filing, the range is ideal for storing CDs and video cassettes

The efficient filing **CDs and videos**

The Bisley range of Card Filers can accommodate up to 4600 cards per drawer. Each drawer allows for two rows of filing and is supplied with two adjustable compressor plates. Drawer design features system for cards, include ball bearing rollers and a positive closing device to ensure smooth, silent action. All Card Filers are fitted with flush front drawers, with label holders for the easy identification of contents.

-	-	- 1	
	-		
-			
-		-	-
-	-	-	
	-	_	
-	1	-	
-			
-			
			/
B64	B85	B96	







Maximise feature floorspace with side filing the opt The der

Bisley Side Filing Cabinets are ideal where floorspace is limited. The range incorporates all the design features of standard filing cabinets but with 30% greater filing capacity and a compact shape. The shallow drawer extension allows the optimum use of areas with limited access. The drawers, each supported by heavy duty slides, accommodate one row of foolscap suspension files side facing or two rows of A4 files front facing.



• Side or front facing filing can be accommodated



BISLEY Office Solutions in Steel



- Fully welded steel carcase for added strength
- A choice of four tambour finishes - Black, Cream, Light Grey and Dark Grey



- Advanced handrail design
 with positive closing action
- Superior 3 point locking
 mechanism on AST87/78/65



AST87




AST78





AST65



Bisley's range of versatile Side Opening Tambour Cupboards has been designed to maximise storage capacity and make the most of valuable office space.

for space efficient storage

The quality solution Because tambour doors retract into the cupboard side, they need less space. Unlike conventional cupboards, they have no doors that open outwards to cause obstructions.

> A comprehensive range of internal fittings provides for the filing and storage requirements of every modern office. (See page 15)














Stationery cupboards are finished in a choice of four textured colours

Goose Grey

Black

• Grey 7035 Coffee/Cream duo

with maximum capacity

Bisley's Stationery Cupboards are designed for Slimline cupboards maximum storage capacity but are economical on space. These cupboards are supplied with a dual purpose shelf which accommodates under-shelf filing. Doors are flush to the carcase and are fitted with a three-point locking mechanism.



E782A04



E722A03



E402A01



These all-purpose cupboards are available in a choice of four heights and are especially suitable for general The classic storage and filing. Bisley Two Door Cupboards, fitted with attractive, unobtrusive flush-front all-purpose doors, can be used either individually or cupboard in rows. They have a magnetic door catch, two-point locking mechanism and are manufactured from high quality, heavy gauge steel. The cupboards are available either assembled with a fully welded carcase for greater strength and rigidity or in flat

pack form for easy assembly using just a screwdriver.



A402



A652



A722



A782



Vertical opening Tambour Cupboards from Bisley are ideal for high density storage. Unlike conventional cupboards, Vertical Tambour shutters retract into the top of the cabinet so they have no doors that open outwards to take up space and cause obstructions. The specially designed Bisley spring loaded roller

High density storage with a shut full range of internal fittings

mechanism allows finger tip operation of the shutters which can be left in any open position. The comprehensive range of internal fittings on the opposite page provides for the filing and storage requirements of every modern office.







AVT78

AVT65



Lateral filing rail BUR -12 Modules







Roll-out shelf BRS - 3 Modules



Plain shelf BBS -



Roll-out drawers BRD - 5 modules Slotted shelf B





Slotted shelf BSS - 1+ Modules*




Pigeon-hole unit - BPH 14 modules* Wardrobe shelf BWS

Bisley makes it easy to plan storage to 1 the needs of a particular application.

Planning storage For to meet exact needs is easy be able t

Follow this step by step guide and refer to the illustrations on this page. You will then be able to identify the most appropriate fittings and the most suitable size of Side Opening Tambour, Vertical Tambour or Two-Door Cupboard.



Specification Note

This unit has been specified with more than one roll-out internal and therefore will require an anti-tilt safety device

- 1 Identify what needs to be stored.
- 2 Choose from the internal fittings illustrated here.

Safety Warning Pull-out fitments must

only be fitted in the bottom half of any Bisley Storage unit. Consult your Bisley Dealer if in any doubt

- ³ Calculate the amount of height in modules that should be allowed for each internal fitting (1 module = 23mm). Please note that the module values assume standard sizes of lateral and suspension files.
- 4 Make sure you allow enough space for the height of the items to be stored on or in the internal fitting.
- 5 Add up the values to provide a total internal module height.
- 6 Select from the standard cupboard heights, choosing the one nearest to, but taller than, the total internal module height.
- 7 Please ensure that roll-out filing frames and drawers are only fitted in the lower half of a cupboard.

Modular Capacity Table

Cabinet Height [†]	Side Opening Tambours	Vertical Tambours	2 - Door Cupboards
28	26	-	-
40	39	-	37
65	66	55	64
72	-	-	71
78	80	69	78
87	92	81	-

 $^{\dagger}\mbox{Cabinet}$ heights are indicative and refer to the product reference.

* Allow for items to be stored on or in the internal fitting.







- A4 12 Series desk top units ideal for home or office use
- Castors can be fitted to
 Multidrawers





- Multidrawers can also be fitted with locks
- As an alternative a leveller base can be fitted





Bisley Multidrawer Cabinets provide the most versatile solution to your storage needs. There is a choice of three cabinet heights and six drawer The versatile solution heights as well as A4 or A3 cabinets.

for small item storage The desktop units make multidrawers ideal for home or office use. A wide range of accessories increases the versatility of the Multidrawers even further. These include castor bases, adjustable height leveller bases and plastic insert trays for compact storage of small components.







 	And Personnel Statements	The state of the s	
			-
	-		
			-
			-
			-
	-		
			-
			-
	-		
	-		-

A3 Series

A4 Series







 Plinth base can be replaced with castor base A leveller base can be fitted as a further alternative


Efficient storage of CDs and Videos videos videos videos CDs and VIS cassettes. Compressor plates can be videos CDs and VIS cassettes. Compressor plates can be convidential c



MS4E + CD pack



MS4E + Video pack



Bisley F-Series Pedestals provide optimum flexibility for filing and storage of both A4 and foolscap files. Classical styling A height adjustable or castor base is available as an extra. The range is available optimum flexibility with flush fronts or the Bisley classic fronts as illustrated above.




1F3E







- A fifth castor can be fitted to mobile pedestals, as an anti-tilt device
- Roll-out or drop-in pen trays
 are available



- A choice of two pedestal depths - 565 and 775mm
- A fitted counter balance can
 be specified




E7503



E7502



E6503



The ultimate in into any desking range. There choice of two per depths - 565 and pedestals 775mm, which are both

Bisley has developed the ultimate range of mobile and freestanding Pedestals which can be incorporated into any desking range. There is a choice of two pedestal depths - 565 and

designed to suit system desking ranges

with 600 and 800mm deep desk tops. The pedestal carcase is precision-engineered from a one piece steel wrap with no visible seams or joins and the rigid front frames provide additional strength. A full range of letter trays and drawer dividers is available.







E6502



E5503



E5502

0 0---2





- All lockers are fitted with a camlock. Hasp locks can be ordered as an option
- Single door lockers have a wardrobe shelf and all lockers will accommodate full size crash helmets



LEY

(

- A discreet card holder enables lockers to be titled
- Each locker has ventilation holes in the top and base allowing air to circulate



1BL36/C



1BL36/1

1BL36/4

1BL36/6



 Bisley lockers provide a functional yet stylish

 solution for environments such as leisure centres,

 hospitals, schools, industrial and commercial

 premises. This extensive range incorporates five

 to suit
 types of closures and two depths with a choice

 of single, two, four and six door

 all environments
 compartments.

Additional design features include an undershelf coat hook in single and two door compartments, with an undershelf coat rail for multiple hangers in the 550mm (21.5") deep single door locker.





23






Card Index Cabinets

Bisley Card Index Cabinets are the ideal solution for secure filing of card-based information. Single and double units are available to accept 5" x3", 6" x4" and 8" x5" cards. The cabinets feature a patented linking device for rigid multi-unit arrangements, card support plates and plastic moulded handles with card frame. All units are easily converted




to locking for security purposes.





Bisley steel Waste Paper Tubs are designed to last and are fitted with moulded plastic corners to ensure safety.





Bisley steel drawer is fitted with a front hinge pressure bar and

Bisley's top quality Plan Files incorporate a number of design features for maximum versatility and safe storage of documents. Plan Files are available in five or ten drawer units in two sizes - A0 and A1. Plan Files go on Intermediate five or ten drawer sections and on and on are also available for additional capacity. Each

> rear hood to prevent plans from curling or becoming creased. A0 drawers have been tested to an evenly

distributed load of 50kg and A1 to 25kg.

• All drawers are slotted to enable dividers to sub-divide each drawer into DIN A sizes

471/472

471/472 - Plan File with 5-drawer intermediate section (470)

473

BISLEY Office Solutions in Steel

Page	Code		ing	Drawers	Dimensions - W x D x H (mm/inch)
Filing	g Cabinets	;			
6/7	BS5E	Foo	olscap	5	470 (18.5) x 622 (24.5) x 1511 (59.5)
6/7	BS4E	Foo	olscap	4	470 (18.5) x 622 (24.5) x 1321 (52)
6/7	BS3E	Foo	olscap	3	470 (18.5) x 622 (24.5) x 1016 (40)
6/7	BS2E	Foo	olscap	2	470 (18.5) x 622 (24.5) x 711 (28)
6/7	A4BS5E	A4		5	413 (16.25) x 622 (24.5) x 1511 (59.5)
6/7	A4BS4E	A4		4	413 (16.25) x 622 (24.5) x 1321 (52)
6/7	A4BS3E	A4		3	413 (16.25) x 622 (24.5) x 1016 (40)
6/7	A4BS2E	A4		2	413 (16.25) x 622 (24.5) x 711 (28)
Doub	ole Filing (Cabinets			
6/7	3343	A4		4	770 (30.25) x 622 (24.5) x 1321 (52)
6/7	3333	A4		3	770 (30.25) x 622 (24.5) x 1016 (40)
Card	Filing Cal	oinets			
8	B64		2 x 102 (6 x 4)	9	413 (16.25) x 622 (24.5) x 1321 (52)
8	B85		3 x 127 (8 x 5)	7	518 (20.5) x 622 (24.5) x 1321 (52)
8	B96		B x 152 (9 x 6)	6	568 (22.25) x 622 (24.5) x 1321 (52)
-	Filing Cab			-	
	-				
9	08SF4		or Foolscap	4	800 (31.5) x 470 (18.5) x 1302-1340 (52)
9	08SF3		or Foolscap	3	800 (31.5) x 470 (18.5) x 999-1036 (40)
9	08SF2		or Foolscap	2	800 (31.5) x 470 (18.5) x 694-732 (27.5)
Side	Opening [·]	Tambou	rs		
10/11	AST28W	Lat	eral, Suspension &	& Boxfiles	1000 (39.25) x 470 (18.5) x 711 (28)
10/11	AST40W	Lat	eral, Suspension &	& Boxfiles	1000 (39.25) x 470 (18.5) x 1016 (40)
10/11	AST65W	Lat	eral, Suspension &	& Boxfiles	1000 (39.25) x 470 (18.5) x 1651 (65)
10/11	AST78W	Lat	eral, Suspension &	& Boxfiles	1000 (39.25) x 470 (18.5) x 1968 (77.5)
10/11	AST87W	Lat	eral, Suspension &	& Boxfiles	1000 (39.25) x 470 (18.5) x 2229 (87.75)
Statio	onery Cup	boards			
12	E402A01		k/Lateral	1 shelf	914 (36) x 400 (15.75) x 1000 (39)
12	E722A03		x/Lateral	3 shelves	914 (36) x 400 (15.75) x 1806 (71)
12	E782A04		<pre>vLateral</pre>	4 shelves	914 (36) x 400 (15.75) x 1950 (77)
			VEutorui	1 sherves	, , , , , , , , , , , , , , , , , , ,
TWO-	Door Cup	boards			
13	A402W11		eral, Suspension &		914 (36) x 457 (18) x 1016 (40)
13	A652W00	Lat	eral, Suspension &	& Boxfiles	914 (36) x 457 (18) x 1651 (65)
13	A722W00		eral, Suspension &		914 (36) x 457 (18) x 1806 (71)
13	A782W00	Lat	eral, Suspension &	& Boxfiles	914 (36) x 457 (18) x 1968 (77.5)
Verti	cal Tambo	ours			
14	AVT65	Lat	eral, Suspension &	& Boxfiles	914 (36) x 457 (18) x 1651 (65)
14	AVT78	Lat	eral, Suspension &	& Boxfiles	914 (36) x 457 (18) x 1987 (78)
14	AVT87	Lat	eral, Suspension &	& Boxfiles	914 (36) x 457 (18) x 2229 (87.75)
Mult	idrawer C	abi <u>nets</u>			
12 ser		Locking	Non-Locking		
	103		NOTI-LOCKITIC		
16/17	12/3	055	054	3	279 (11) x 429 (17) x 333 (13)
		0			279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 333 (13)
16/17	12/3	055	054	3	
16/17 16/17	12/3 12/4	055 059	054 058	3 4	279 (11) x 429 (17) x 333 (13)
16/17 16/17 16/17	12/3 12/4 12/5	055 059 053	054 058 052	3 4 5	279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 333 (13)
16/17 16/17 16/17 16/17	12/3 12/4 12/5 12/8 12/10	055 059 053 062 057	054 058 052 060 056	3 4 5 8 10	279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 333 (13)
16/17 16/17 16/17 16/17 29 ser	12/3 12/4 12/5 12/8 12/10	055 059 053 062	054 058 052 060	3 4 5 8 10	279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 333 (13)
16/17 16/17 16/17 16/17 29 ser 16/17	12/3 12/4 12/5 12/8 12/10 ries	055 059 053 062 057 Locking	054 058 052 060 056 Non-Locking	3 4 5 8 10	279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 333 (13)
16/17 16/17 16/17 16/17 29 ser 16/17 16/17	12/3 12/4 12/5 12/8 12/10 ries 29/5	055 059 053 062 057 Locking 063	054 058 052 060 056 Non-Locking 061	3 4 5 8 10 5	279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 673 (26.5)
16/17 16/17 16/17 16/17 29 ser 16/17 16/17 16/17	12/3 12/4 12/5 12/8 12/10 ries 29/5 29/6	055 059 053 062 057 Locking 063 067	054 058 052 060 056 Non-Locking 061 065 085	3 4 5 8 10 5 6 8	279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 673 (26.5) 279 (11) x 429 (17) x 673 (26.5) 279 (11) x 429 (17) x 673 (26.5)
16/17 16/17 16/17 16/17 29 ser 16/17 16/17 16/17	12/3 12/4 12/5 12/8 12/10 'ies 29/5 29/6 29/8 29/8B	055 059 053 062 057 Locking 063 067 087 187	054 058 052 060 056 Non-Locking 061 065 085 185	3 4 5 10 5 6 8 2+3+3	279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 673 (26.5) 279 (11) x 429 (17) x 673 (26.5) 279 (11) x 429 (17) x 673 (26.5) 279 (11) x 429 (17) x 673 (26.5)
16/17 16/17 16/17 16/17 29 ser 16/17 16/17 16/17 16/17 16/17	12/3 12/4 12/5 12/8 12/10 'ies 29/5 29/6 29/8 29/8B 29/10	055 059 053 062 057 Locking 063 067 087 187 071	054 058 052 060 056 Non-Locking 061 065 085 185 069	3 4 5 8 10 5 6 8 2+3+3 10	279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 673 (26.5) 279 (11) x 429 (17) x 673 (26.5)
16/17 16/17 16/17 16/17 29 ser 16/17 16/17 16/17 16/17 16/17	12/3 12/4 12/5 12/8 12/10 ries 29/5 29/6 29/8 29/8 29/8B 29/10 29/16	055 059 053 062 057 Locking 063 067 087 187 071 082	054 058 052 060 056 Non-Locking 061 065 085 185 069 080	3 4 5 8 10 5 6 8 2+3+3 10 16	279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 673 (26.5) 279 (11) x 429 (17) x 673 (26.5)
16/17 16/17 16/17 16/17 29 ser 16/17 16/17 16/17 16/17 16/17 16/17	12/3 12/4 12/5 12/8 12/10 ies 29/5 29/6 29/8 29/8 29/8B 29/10 29/16 29/20	055 059 053 062 057 Locking 063 067 087 187 087 187 071 082 083	054 058 052 060 056 Non-Locking 061 065 085 185 069 080 081	3 4 5 8 10 5 6 8 2+3+3 10 16 20	279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 673 (26.5) 279 (11) x 429 (17) x 673 (26.5)
16/17 16/17 16/17 16/17 29 ser 16/17 16/17 16/17 16/17 16/17 16/17 16/17 39 Ser	12/3 12/4 12/5 12/8 12/10 fies 29/5 29/6 29/8 29/8 29/8 29/10 29/10 29/16 29/20 ries	055 059 053 062 057 Locking 063 067 087 187 071 082 083 Locking	054 058 052 060 056 Non-Locking 065 085 185 069 080 081 Non-Locking	3 4 5 8 10 5 6 8 2+3+3 10 16 20	279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 673 (26.5) 279 (11) x 429 (17) x 673 (26.5)
16/17 16/17 16/17 16/17 16/17 16/17 16/17 39 Ser 16/17	12/3 12/4 12/5 12/8 12/10 ries 29/5 29/6 29/8 29/8 29/10 29/10 29/16 29/20 ries 39/9	055 059 053 062 057 Locking 063 067 087 187 071 082 083 Locking 103	054 058 052 060 056 Non-Locking 061 065 085 185 069 080 080 081 Non-Locking 101	3 4 5 8 10 5 6 8 2+3+3 10 16 20 9	279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 673 (26.5) 279 (11) x 429 (17) x 673 (26.5)
16/17 16/17 16/17 29 ser 16/17 16/17 16/17 16/17 16/17 16/17 16/17 39 Ser 16/17	12/3 12/4 12/5 12/8 12/10 ries 29/5 29/6 29/8 29/8 29/10 29/16 29/16 29/20 ries 39/9 39/12	055 059 053 062 057 Locking 063 067 087 187 071 082 083 Locking 103 127	054 058 052 060 056 Non-Locking 061 065 085 185 069 080 080 081 Non-Locking 101 125	3 4 5 8 10 5 6 8 2+3+3 10 16 20 9 12	279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 673 (26.5) 279 (11) x 429 (17) x 940 (37) 279 (11) x 429 (17) x 940 (37)
16/17 16/17 16/17 16/17 16/17 16/17 16/17 16/17 16/17 16/17 16/17 16/17 16/17 16/17	12/3 12/4 12/5 12/8 12/10 ries 29/5 29/6 29/8 29/8 29/10 29/10 29/16 29/20 ries 39/9 39/12 39/15	055 059 053 062 057 Locking 063 067 087 187 071 082 083 Locking 103 127 091	054 058 052 060 056 Non-Locking 061 065 085 185 069 080 080 081 Non-Locking 101 125 089	3 4 5 8 10 5 6 8 2+3+3 10 16 20 9 12 15	279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 673 (26.5) 279 (11) x 429 (17) x 940 (37) 279 (11) x 429 (17) x 940 (37) 279 (11) x 429 (17) x 940 (37)
16/17 16/17 16/17 29 ser 16/17 16/17 16/17 16/17 16/17 16/17 16/17 39 Ser 16/17	12/3 12/4 12/5 12/8 12/10 ries 29/5 29/6 29/8 29/8 29/10 29/16 29/16 29/20 ries 39/9 39/12	055 059 053 062 057 Locking 063 067 087 187 071 082 083 Locking 103 127	054 058 052 060 056 Non-Locking 061 065 085 185 069 080 080 081 Non-Locking 101 125	3 4 5 8 10 5 6 8 2+3+3 10 16 20 9 12	279 (11) x 429 (17) x 333 (13) 279 (11) x 429 (17) x 673 (26.5) 279 (11) x 429 (17) x 940 (37) 279 (11) x 429 (17) x 940 (37)

Colour Guide Always quote the Bisley colour reference number when ordering. Whilst care is taken to ensure colour consistency, variations may occur.

Because of technical limitations in the printing process the colours shown are a guide only. Individual colour swatches are available from your Bisley dealer or from the Bisley Customer Service Department.


Some colours are subject to a price surcharge. For full details see our latest price list.

Standards Compliance

	BS 476 1987 Part 7 Class 2Y	BS 4875 [†] 1985 Part 7	BS 4875 1985 Part 8
Sidefilers		1	✓
Filing Cabinets		1	1
Assembled 2-Door Cupboards		~	~
Vertical Tambours	Р*	~	~
Side Opening Tambours (1m)	Р*	1	1
Lockers		~	
Pedestals		1	1


P* Plastic Shutters (Flammability Test) † Excluding Clause 6.6.2

Page	Code			Drawers	Dimensions - W x D x H (mm/inch)
Mult	idrawer	Cabinets			
BA3 S	Series	Locking	Non-Locki	ing	
16/17	BA3/6	113	112	6	349 (13.75) x 459 (19) x 673 (26.5)
16/17	BA3/4	2450	2440	1+3	349 (13.75) x 459 (19) x 673 (26.5)
16/17	BA3/10	117	116	10	349 (13.75) x 459 (19) x 673 (26.5)
16/17	BA3/9	115	114	9	349 (13.75) x 459 (19) x 940 (37)
16/17	BA3/15	119	118	15	349 (13.75) x 459 (19) x 940 (37)
BA3 S	Series Fax	Cupboards			
16/17	112C1			Door	349 (13.75) x 459 (19) x 673 (26.5)
16/17	114C1			Door	349 (13.75) x 459 (19 x 940 (37)
CD a	nd Video	Storage (Cabinets		
18	MS4	otorago		4	498 (19.5) x 470 (18.5) x 711 (28)
-				4	490 (19.5) X 470 (10.5) X 711 (20)
F-Ser	ies Desk	Cabinets			
19	1F3			4	470 (18.5) x 470 (18.5) x 711 (28)
19	2F			2	470 (18.5) x 470 (18.5) x 711 (28)
19	F6			6	470 (18.5) x 470 (18.5) x 711 (28)
Desk	Pedesta	s			
Mobi		Γ)		0	
20/21	E5502 (2)			2	420 (16.5) x 565 (22.25) x 495 (19.5)
20/21	E5503 (1			3	420 (16.5) x 565 (22.25) x 495 (19.5)
20/21	E6502 (2)			3	420 (16.5) x 565 (22.25) x 645 (25.5)
20/21	E6503 (1			3	420 (16.5) x 565 (22.25) x 645 (25.5)
20/21	E6702 (2)			3	420 (16.5) x 775 (30.5) x 645 (25.5)
20/21	E6703 (1	5 2F)		3	420 (16.5) x 775 (30.5) x 645 (25.5)
	standing	_			
20/21	E7502 (2)			2	420 (16.5) x 565 (22.25) x 683-735 (26.75-28.5)
20/21	E7503 (2	,		3	420 (16.5) x 565 (22.25) x 683-735 (26.75-28.5)
20/21	E7702 (2)			2	420 (16.5) x 775 (30.5) x 683-735 (26.75-28.5)
20/21	E7703 (2	S 1F)		3	420 (16.5) x 775 (30.5) x 683-735 (26.75-28.5)
Locke	ers				
22/23	1BL36/1	1 Compa	irtment		365 (14.25) x 365 (14.25) x 1802 (71)
22/23	1BL36/2	2 Compa	irtments		365 (14.25) x 365 (14.25) x 1802 (71)
22/23	1BL36/4	4 Compa	irtments		365 (14.25) x 365 (14.25) x 1802 (71)
22/23	1BL36/6	6 Compa	irtments		365 (14.25) x 365 (14.25) x 1802 (71)
22/23	1BL36/C	1 Compa	irtment		365 (14.25) x 365 (14.25) x 527 (20.5)
22/23	1BL55/1	1 Compa	irtment		365 (14.25) x 550 (21.5) x 1802 (71)
22/23	1BL55/2	2 Compa	irtments		365 (14.25) x 550 (21.5) x 1802 (71)
22/23	1BL55/4	4 Compa	irtments		365 (14.25) x 550 (21.5) x 1802 (71)
22/23	1BL55/6	6 Compa	irtments		365 (14.25) x 550 (21.5) x 1802 (71)
22/23	1BL55/C	1 Compa	irtment		365 (14.25) x 550 (21.5) x 527 (20.5)
Wast	e Paper	Tubs			
24	001P5				330 (13) x 330 (13) x 330 (13)
					330 (13) × 330 (13) × 330 (13)
Lette	er Racks				
24	0081	3-tier			381 (15) x 229 (9) x 210 (8.25)
24	0071	5-tier			381 (15) x 229 (9) x 362 (14.25)
Sinal	e Card Ir	ndex Cabir	nets		
				1	
24	128	127 x 76		1	192 (7.5) x 422 (16.5) x 133 (5.25)
24	129	152 x 10		1	217 (8.5) x 422 (16.5) x 159 (6.25)
24	130	203 x 12	(C X O) 1	1	271 (10.75) x 422 (16.5) x 217 (8.5)
Dout	ole Card	Index Cab	inets		
24	131	127 x 76	(5 x 3)	2	384 (15) x 422 (16.5) x 133 (5.25)
24	132	152 x 10		2	434 (17) x 422 (16.5) x 159 (6.25)
24	133	203 x 12		2	542 (21.25) x 422 (16.5) x 206 (8.5)
Plan					
		Λ1		10	1010 × 601 × 014
25	471/472	A1		10	1010 x 691 x 914
25	473	A1		5	1010 x 691 x 508
25	461/462	A0		10	1359 x 927 x 914
25	463	A0		5	1359 x 927 x 508



EEEE














Oxford Blue 839







Bisley Guarantee

All branded products manufactured by Bisley Office Furniture are guaranteed for a minimum of five years. The guarantee covers all defects in materials and workmanship. Where stated, some products are covered by longer guarantees - seven years for Bisley Filing Cabinets and ten years for Side Opening Tambours.

In accordance with our policy of continuous product development and improvement, we reserve the right to change the specifications of products illustrated and described in the brochure without prior notice.

www.bisley.com

Head Office, Sales & Production

Showroom

F C Brown (Steel Equipment) Ltd					
Bisley Office Furniture					
Queens Road					
Bisley Surrey					
GU24 9BJ					
Tel: +44 (0)1483 485 600					
Fax: +44 (0)1483 489 962					

Bisley Office Furniture Northumberland House 155-157 Great Portland Street London W1N 5FB Tel: +44 (0)20 7436 7111 Fax: +44 (0)20 7436 8111



Design & Production

Bisley Office Furniture Caswell Way Reevesland Ind Est Newport, Gwent NP19 4PW Tel: +44 (0)1633 637 383 Fax: +44 (0)1633 637 384

